

SEP0605EB SERIES

High Current SMD Power Inductors



RoHS Compliant


PART NUMBERING SYSTEM

<u>SEP</u>	<u>0605EB</u>	—	<u>1R0M</u>	—	<u>LF</u>
TYPE	DIMENSIONS		INDUCTANCE		LEAD FREE

FEATURES :


- Magnetically shielded and Lowest DCR/μH, in this package size .
- Suitable for large current .
- Ideal for DC – DC converter inductor application in hand help personal Computer ,etc .
- Frequency range below 1.0 MHz .
- Ultra low buzz noise, due to composite construction .
- Lead Free with RoHS compliant .

SHAPES AND DIMENSIONS :



A=7.5Max. B=6.8Max. C=3.0±0.3 D=5.0 Max. E=1.6±0.3 UNIT : mm

RECOMMENDED PATTERNS



H=3.5 G= 3.8 I = 8.0 UNIT : mm

SEP0605EB SERIES

High Current SMD Power Inductors




RoHS Compliant

SPECIFICATION TABLE

PART NUMBER	INDUCTANCE (μ H)	Isat (A) (Typ.)	Irms (A) (Typ.)	DCR (m Ω) (Typ.)	DCR (m Ω) (Max.)	TEST FREQ. (f)
SEP0605EB-R56M-LF	0.56 $\pm$ 20%	12.0	20.0	3.4	3.6	100KHz/0.1V
SEP0605EB-R68M-LF	0.68 $\pm$ 20%	11.5	18.0	4.2	4.5	100KHz/0.1V
SEP0605EB-R82M-LF	0.82 $\pm$ 20%	13.0	16.5	4.6	4.9	100KHz/0.1V
SEP0605EB-1R0M-LF	1.0 $\pm$ 20%	15.0	13.0	5.6	6.5	100KHz/0.1V
SEP0605EB-1R5M-LF	1.5 $\pm$ 20%	12.0	12.0	8.6	9.0	100KHz/0.1V
SEP0605EB-2R2M-LF	2.2 $\pm$ 20%	10.0	10.0	13.0	13.6	100KHz/0.1V
SEP0605EB-3R3M-LF	3.3 $\pm$ 20%	8.0	8.0	19.9	20.9	100KHz/0.1V
SEP0605EB-4R7M-LF	4.7 $\pm$ 20%	7.0	6.5	28.9	30.3	100KHz/0.1V
SEP0605EB-5R6M-LF	5.6 $\pm$ 20%	7.0	6.0	32.7	34.4	100KHz/0.1V
SEP0605EB-6R8M-LF	6.8 $\pm$ 20%	5.5	5.5	42.5	44.6	100KHz/0.1V
SEP0605EB-8R2M-LF	8.2 $\pm$ 20%	5.0	5.0	48.3	50.7	100KHz/0.1V
SEP0605EB-100M-LF	10 $\pm$ 20%	4.5	4.5	67.9	71.3	100KHz/0.1V

- I sat : DC current at which the inductance drops 20% (typ) from its value without current.
- I rms : Average current for a 40°C temperature rise above 25°C ambient.
- Operating temperature range -55°C to +125°C , Electrical specifications at 25°C.

PACKAGING SPECIFICATION



STAYLE	Q' TY (PCS)	DIMENSIONS (m/m)					
		Ao	Bo	Ko	P	Po	D $\pm$ 0.3
13"	1,000	7.2	7.0	4.4	12	4.0	16